

WHO REPORT ON THE GLOBAL TOBACCO EPIDEMIC, 2015

Raising taxes on tobacco

Executive summary

fresh and alive



© World Health Organization 2015

All rights reserved. Publications of the World Health Organization are available on the WHO website (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; bookorders@who.int).


Requests for permission to reproduce or translate WHO publications – whether for sale or for non-commercial distribution – should be addressed to WHO Press through the WHO website (www.who.int/about/licensing/copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Printed by the WHO Document Production Services, Geneva, Switzerland



Monitor	Monitor tobacco use and prevention policies
Protect	Protect people from tobacco smoke
Offer	Offer help to quit tobacco use
Warn	Warn about the dangers of tobacco
E nforce	Enforce bans on tobacco advertising, promotion and sponsorship
Paico	Paisa taxos on tobacco

alse Raise taxes on tol

Overview


In the decade since the WHO Framework Convention on Tobacco Control (WHO FCTC) came into force, and 7 years after the introduction of MPOWER to assist Parties in meeting some of their WHO FCTC obligations, there has been steady progress in global tobacco control. Today, more than half of the world's countries, with 40% of the world's population (2.8 billion people) have implemented at least one MPOWER measure at the highest level of achievement (not including the Monitoring and Mass media measures, which are assessed separately). This progress more than doubles the number of countries and nearly triples the number of people covered since 2007.

Raising tobacco taxes, the R measure in MPOWER and the focus of this *WHO report on the global tobacco epidemic, 2015*, is an area in particular need of attention.

Despite the fact that raising tobacco taxes to more than 75% of the retail price is among the most effective and cost-effective tobacco control interventions (it costs little to implement and increases government revenues), only a few countries have increased tobacco taxes to best practice level. Raising taxes is the least implemented MPOWER measure - with only 10% of the world's people living in countries with sufficiently high taxes – and is the measure that has seen the least improvement since WHO started assessing these data. Even so, by 2014, 11 countries had raised taxes to represent more than 75% of the retail price of a pack of cigarettes, joining the 22 countries that already had similarly high taxes in place in 2008. However, there are still many countries with extremely low tobacco tax rates, and some countries that

do not levy any tobacco taxes at all.

Many countries have implemented multiple MPOWER measures at the highest level of achievement. A total of 49 countries with nearly 20% of the world's population are covered by two or more MPOWER measures at the highest level, tripling the number of people protected by at least two fully implemented tobacco control measures to 1.4 billion people since 2007. Seven countries, five of which are low- and middleincome, have implemented four or more MPOWER measures at the highest level. Six of these countries (four of which are lowand middle-income countries with more than 4% of the world's population – more than 300 million people), are only one step away from having all MPOWER measures in place at the highest level.



THE STATE OF SELECTED TOBACCO CONTROL POLICIES IN THE WORLD, 2014

Note: The tobacco control policies depicted here correspond to the highest level of achievement at the national level; for the definitions of these highest categories, refer to Technical Note I in the main report.

1

Key findings

Over the past 2 years, there has been notable progress in global tobacco control. Since the previous *WHO report on the global tobacco epidemic, 2013,* which reported data from 2012, the global population covered by at least one MPOWER measure at the highest level has increased from 2.3 billion to 2.8 billion, an increase of half a billion people (7% of the world's population). The number of countries implementing at least one MPOWER measure at the highest level has increased by 11 since 2012, from 92 to 103.

Each MPOWER measure saw new countries implementing best tobacco control practice since 2012.

 Five countries with a combined population of 187 million people, (Chile, Jamaica, Madagascar, Russian Federation and Suriname) implemented a comprehensive smoke-free law covering all indoor public places and workplaces.

- Six countries (Argentina, Belgium, Brunei Darussalam, Malta, Mexico and the Netherlands) implemented appropriate cessation services. Because one country reduced services after 2012, the net gain for offering assistance to quit was five countries and 173 million people.
- Twelve countries with a combined population of 370 million people (Bangladesh, Costa Rica, Fiji, Jamaica, Namibia, Philippines, Samoa, Solomon Islands, Trinidad and Tobago, Turkmenistan, Vanuatu and Viet Nam) implemented large graphic pack warnings.
- Seven countries (Kiribati, Nepal, Russian Federation, Suriname, United Arab Emirates, Uruguay and Yemen)


introduced a complete ban on all tobacco advertising, promotion and sponsorship (TAPS) activities, thus protecting an additional 209 million people from exposure to TAPS.

Seven countries (Bangladesh, Bosnia and Herzegovina, Croatia, Kiribati, New Zealand, Romania and Seychelles) raised taxes on cigarettes to more than 75% of the retail price (because four countries did not maintain sufficiently high taxes after 2012, and one country did not provide data, the net gain for raising taxes was only two countries and 154 million people).




2

SHARE OF THE WORLD POPULATION COVERED BY SELECTED TOBACCO CONTROL POLICIES, 2014



Note: The tobacco control policies depicted here correspond to the highest level of achievement at the national level; for the definitions of these highest categories, refer to Technical Note I in the main report.

INCREASE IN THE SHARE OF THE WORLD POPULATION COVERED BY SELECTED TOBACCO CONTROL POLICIES, 2012 TO 2014



Note: The tobacco control policies depicted here correspond to the highest level of achievement at the national level; for the definitions of these highest categories, refer to Technical Note I in the main report.

Conclusion

Progress spurred by the WHO Framework Convention on Tobacco Control and the consistent MPOWER measures over the past decade has helped protect 40% of the world's people through at least one MPOWER measure at the highest level of achievement. As countries continue the process of adopting and implementing effective tobacco control strategies, they can look for inspiration and guidance to other countries that have successfully moved to advance their policies to the best practice level.

The focus of this report, Raising tobacco taxes, is the MPOWER measure that has experienced least progress. Only one in 10 of the world's people live in the 33 countries that levy taxes of more than 75% of the cigarette retail price, making it the least-implemented MPOWER measure and the one with least improvement since 2007. More than 80% of countries have no tobacco taxation in place at the highest level of achievement despite clear evidence that increasing taxes to a sufficiently high level is an extremely effective – including costeffective – intervention; it reduces tobacco use, costs governments relatively little to implement, and increases government revenues, sometimes substantially.

It can be difficult to generate sufficient political will to overcome opposition including from the tobacco industry — to raising tobacco taxes. The tobacco industry has long opposed any strengthening of tobacco control measures, and is particularly active in attempting to prevent any type of tax increase leading to actual higher prices. The industry makes spurious claims of economic harm caused by higher taxes, which are not borne out by the evidence. One particular claim is that higher taxes lead to increased smuggling and illicit trade, but again the evidence does not support this. But because tobacco taxes are generally better accepted than other types of taxes, it is possible to achieve widespread public support, even among tobacco users, especially if at least some of the new tax revenues are used for tobacco control, health promotion and other public health programmes.

All countries have an obligation to protect the health of their people, and all Parties to the WHO FCTC have made specific commitments to implement strong tobacco control policies as an important means of providing that protection. There has been substantial progress in the past decade, but we must now recommit ourselves to continuing our global tobacco control efforts so that all the people of the world are fully protected from the tobacco epidemic and its harms.



The WHO report on the global tobacco epidemic, 2015 was made possible by funding from Bloomberg Philanthropies

Photographs © The World Bank Page 2 – Photographer: Curt Carnemark Page 4 – Photographer: Curt Carnemark

Design by **Estúdio infinito** Layout by **Jean-Claude Fattier** Printed by the WHO Document Production Services, Geneva, Switzerland



20 Avenue Appia CH-1211 Geneva 27 Switzerland www.who.int/tobacco

© World Health Organization 2015

All rights reserved. Publications of the World Health Organization are available on the WHO website (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; bookorders@who.int).

Requests for permission to reproduce or translate WHO publications – whether for sale or for non-commercial distribution – should be addressed to WHO Press through the WHO website (www.who.int/about/licensing/copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Printed by the WHO Document Production Services, Geneva, Switzerland



Monitor	Monitor tobacco use and prevention policies
Protect	Protect people from tobacco smoke
O ffer	Offer help to quit tobacco us
Warn	Warn about the dangers of tobacco
Enforce	Enforce bans on tobacco advertising, promotion and sponsorship

Photographs

© **The World Bank** Page 2 – Photographer: Curt Carnemark Page 4 – Photographer: Curt Carnemark

Design by **Estúdio infinito** Layout by **Jean-Claude Fattier** Printed by the WHO Document Production Services, Geneva, Switzerland

The WHO report on the global tobacco epidemic, 2015 was made possible by funding from Bloomberg Philanthropies