



10

附录

附录一 2013 - 2014 中国部分城市成人烟草调查, 数据表格

地点	人群与样本特征						
	15岁及以上年龄 城区人口 (千人)			完成调查人数			总应答率 (%)
	总体	男性	女性	总体	男性	女性	总体
鞍山	1 680	841	840	2 346	1 178	1 168	97.5%
北京	14 252	7 297	6 955	3 838	1 885	1 953	85.9%
长春	2 190	1 096	1 095	2 213	1 026	1 187	92.2%
哈尔滨	3 238	1 613	1 625	1 966	958	1 008	82.0%
杭州	4 543	2 333	2 210	2 029	948	1 081	85.9%
克拉玛依	257	130	127	1 970	992	978	79.8%
兰州	1 976	1 013	963	2 166	1 026	1 140	90.6%
洛阳	905	463	442	2 188	1 019	1 169	91.4%
南昌	1 967	1 006	961	2 282	1 071	1 211	96.2%
青岛	4 802	2 526	2 276	2 041	984	1 057	84.7%
沈阳	3 405	1 671	1 733	1 957	965	992	81.4%
深圳	8 610	4 634	3 976	2 043	953	1 090	89.0%
唐山	942	473	469	2 135	1 041	1 094	80.2%
天津	4 070	2 026	2 044	1 977	962	1 015	85.7%
GATS 2010 城市地区	492 389	248 600	243 789	5 832	2 787	3 045	-

-: 无有效数据

地点	吸烟行为								
	现在吸烟率 (%, 95% CI)						加权后吸烟人数 (千人)		
	总体		男性		女性		总体	男性	女性
鞍山	23.4	[20.9 - 26.0]	44.0	[39.4 - 48.7]	2.8	[1.8 - 4.3]	393	370	23
北京	22.3	[20.5 - 24.1]	41.5	[38.7 - 44.3]	2.1	[1.4 - 3.2]	3 174	3 026	147
长春	23.5	[20.6 - 26.7]	43.2	[38.6 - 47.9]	3.8	[2.5 - 5.6]	515	473	41
哈尔滨	18.8	[15.5 - 22.6]	35.1	[28.6 - 42.3]	2.7	[1.6 - 4.5]	610	566	44
杭州	20.5	[16.6 - 25.1]	38.6	[30.8 - 46.9]	1.5	[0.8 - 2.8]	932	900	32
克拉玛依	21.3	[18.5 - 24.3]	41.6	[36.1 - 47.4]	0.4	[0.1 - 1.2]	55	54	1
兰州	22.0	[18.4 - 26.0]	41.2	[34.6 - 48.2]	1.8	[1.1 - 3.0]	435	417	17
洛阳	23.0	[19.6 - 26.9]	44.1	[37.5 - 50.9]	1.0	[0.3 - 2.7]	209	204	4
南昌	22.5	[20.3 - 25.0]	42.2	[38.1 - 46.3]	1.9	[1.3 - 2.8]	443	425	19
青岛	17.7	[14.8 - 20.9]	32.7	[27.0 - 39.1]	0.9	[0.4 - 2.1]	849	827	21
沈阳	24.5	[21.7 - 27.6]	44.8	[39.5 - 50.2]	5.0	[3.1 - 8.0]	835	749	86
深圳	18.6	[15.9 - 21.6]	33.9	[29.1 - 39.1]	0.7	[0.4 - 1.2]	1 600	1 571	28
唐山	21.3	[17.2 - 26.1]	40.6	[32.8 - 48.9]	1.9	[1.0 - 3.4]	201	192	9
天津	22.1	[19.4 - 25.0]	41.1	[36.3 - 46.0]	3.3	[2.3 - 4.7]	899	832	67
GATS 2010 城市地区	26.1	[24.0 - 28.3]	49.2	[46.1 - 52.2]	2.6	[1.9 - 3.7]	128 676	122 268	6 408

地点	吸烟行为											
	现在每日吸烟率 (%, 95% CI)						现在吸烟者中每日吸烟者所占百分比 (%, 95% CI)					
	总体		男性		女性		总体		男性		女性	
鞍山	20.8	[18.3 - 23.6]	39.8	[34.7 - 45.1]	1.9	[1.2 - 3.0]	89.1	[83.9 - 92.8]	90.5	[84.9 - 94.1]	68.1	[49.4 - 82.4]
北京	19.8	[18.2 - 21.5]	37.3	[35.1 - 39.6]	1.4	[0.9 - 2.3]	89.0	[85.9 - 91.4]	90.0	[86.9 - 92.4]	67.8	[44.9 - 84.4]
长春	21.2	[18.6 - 24.1]	39.4	[34.8 - 44.1]	3.1	[2.1 - 4.6]	90.4	[84.6 - 94.2]	91.1	[84.8 - 95.0]	82.4	[67.7 - 91.2]
哈尔滨	16.7	[13.4 - 20.6]	31.3	[24.9 - 38.4]	2.2	[1.2 - 4.0]	88.7	[82.7 - 92.8]	89.1	[82.2 - 93.5]	83.3	[59.4 - 94.4]
杭州	16.4	[12.2 - 21.6]	31.4	[23.5 - 40.6]	0.5	[0.2 - 1.1]	79.9	[70.2 - 87.0]	81.5	[72.6 - 88.1]	~	~
克拉玛依	16.3	[13.9 - 19.0]	31.9	[26.4 - 38.1]	0.3	[0.1 - 0.9]	76.6	[67.8 - 83.6]	76.7	[68.0 - 83.7]	~	~
兰州	18.1	[14.8 - 21.9]	33.8	[27.7 - 40.6]	1.5	[0.9 - 2.4]	82.1	[75.6 - 87.3]	82.2	[75.8 - 87.1]	~	~
洛阳	18.9	[15.6 - 22.7]	36.2	[29.5 - 43.4]	0.7	[0.2 - 2.4]	81.9	[72.1 - 88.8]	82.1	[72.2 - 89.0]	~	~
南昌	19.2	[17.2 - 21.4]	36.2	[31.9 - 40.7]	1.5	[1.0 - 2.2]	85.4	[79.1 - 90.0]	85.8	[79.3 - 90.5]	75.5	[52.8 - 89.5]
青岛	13.9	[11.0 - 17.5]	26.2	[20.1 - 33.2]	0.3	[0.1 - 1.0]	78.8	[70.0 - 85.6]	79.9	[71.3 - 86.4]	~	~
沈阳	20.7	[18.1 - 23.6]	38.8	[33.5 - 44.5]	3.2	[1.9 - 5.4]	84.5	[78.0 - 89.4]	86.7	[79.8 - 91.5]	65.4	[51.8 - 76.9]
深圳	12.0	[9.8 - 14.6]	21.8	[17.8 - 26.5]	0.5	[0.3 - 1.0]	64.5	[57.5 - 71.0]	64.4	[57.3 - 70.9]	~	~
唐山	17.3	[13.4 - 22.0]	32.9	[25.5 - 41.3]	1.5	[0.8 - 2.9]	81.1	[73.5 - 87.0]	81.0	[73.4 - 86.9]	83.0	[61.4 - 93.7]
天津	20.1	[17.6 - 22.8]	37.5	[33.1 - 42.1]	2.8	[2.0 - 3.9]	90.9	[86.2 - 94.1]	91.3	[86.9 - 94.3]	86.7	[70.0 - 94.8]
GATS 2010 城市地区	22.0	[19.8 - 24.4]	41.7	[38.4 - 45.1]	2.0	[1.4 - 2.9]	84.4	[80.7 - 87.5]	84.8	[81.1 - 87.8]	77.1	[60.0 - 88.3]

~: 未加权样本数少于25, 估计值不显示

地点	吸烟行为											
	现在每日吸烟者的日平均吸烟支数* (平均值, 95% CI)						每日吸烟者中日平均吸烟量在20支以上(包括20)的 吸烟者所占比例* (%, 95% CI)					
	总体		男性		女性		总体		男性		女性	
鞍山	15.5	[13.7 - 17.3]	15.6	[13.7 - 17.4]	13.5	[10.4 - 16.5]	43.0	[33.3 - 53.2]	43.3	[33.3 - 54.0]	36.3	[18.5 - 58.9]
北京	14.0	[12.3 - 15.8]	14.1	[12.3 - 15.9]	11.8	[9.2 - 14.5]	35.9	[27.0 - 46.0]	36.7	[27.0 - 47.5]	16.5	[6.7 - 35.2]
长春	14.9	[13.5 - 16.3]	15.3	[13.8 - 16.7]	10.7	[8.0 - 13.5]	39.5	[31.0 - 48.5]	40.7	[31.8 - 50.3]	23.5	[10.1 - 45.8]
哈尔滨	13.7	[12.6 - 14.8]	13.9	[12.8 - 15.1]	~	~	34.6	[28.4 - 41.4]	35.2	[29.0 - 41.9]	~	~
杭州	13.5	[12.2 - 14.8]	13.6	[12.3 - 14.9]	~	~	33.1	[26.1 - 41.0]	33.3	[26.1 - 41.3]	~	~
克拉玛依	13.9	[12.4 - 15.4]	13.9	[12.4 - 15.4]	~	~	34.8	[27.8 - 42.5]	35.1	[28.1 - 42.8]	~	~
兰州	13.2	[11.6 - 14.8]	13.3	[11.7 - 14.9]	~	~	32.0	[24.6 - 40.4]	32.5	[24.9 - 41.1]	~	~
洛阳	14.6	[12.6 - 16.5]	14.4	[12.5 - 16.2]	~	~	41.3	[31.7 - 51.7]	40.6	[31.0 - 51.0]	~	~
南昌	15.6	[14.8 - 16.5]	15.8	[14.9 - 16.6]	11.8	[9.1 - 14.5]	47.5	[40.8 - 54.3]	48.4	[41.7 - 55.1]	25.0	[9.5 - 51.5]
青岛	15.9	[14.8 - 16.9]	15.9	[14.8 - 16.9]	~	~	49.3	[40.9 - 57.8]	49.4	[41.0 - 57.9]	~	~
沈阳	14.8	[13.2 - 16.4]	15.1	[13.2 - 16.9]	12.2	[8.7 - 15.8]	39.5	[31.8 - 47.8]	40.4	[32.1 - 49.3]	28.7	[13.1 - 51.8]
深圳	15.0	[13.6 - 16.4]	15.1	[13.7 - 16.5]	~	~	44.4	[38.5 - 50.5]	44.8	[38.6 - 51.1]	~	~
唐山	15.0	[13.7 - 16.3]	15.0	[13.6 - 16.4]	~	~	45.8	[38.4 - 53.4]	45.7	[37.5 - 54.2]	~	~
天津	15.0	[13.8 - 16.3]	15.3	[14.0 - 16.6]	11.8	[9.0 - 14.6]	41.6	[35.2 - 48.3]	42.6	[36.0 - 49.4]	29.3	[13.2 - 52.9]
GATS 2010 城市地区	15.7	[14.8 - 16.5]	15.8	[14.9 - 16.7]	13.1	[11.5 - 14.6]	42.5	[36.9 - 48.4]	43.0	[37.2 - 48.9]	33.4	[20.5 - 49.2]

~: 未加权样本数少于25, 估计值不显示

*: 剔除异常值后的估计值

地点	电子烟									
	听说过电子烟的成年人的比例 (%, 95% CI)		现在使用电子烟的成年人的比例 (%, 95% CI)						目前使用电子烟的成人中 现在吸烟者所占比例 (%, 95% CI)	
	总体		总体		现在吸烟者		非吸烟者		总体	
鞍山	43.6	[32.4 - 55.5]	0.5	[0.2 - 1.0]	1.9	[0.9 - 3.9]	0.1	[0.0 - 0.5]	90.1	[51.4 - 98.7]
北京	44.8	[40.4 - 49.3]	1.3	[0.7 - 2.5]	5.7	[3.2 - 10.1]	0.1	[0.0 - 0.4]	94.8	[85.5 - 98.3]
长春	53.9	[47.1 - 60.6]	0.8	[0.4 - 1.5]	3.3	[1.6 - 6.6]	0.0	-	100.0	-
哈尔滨	43.9	[34.3 - 54.0]	1.3	[0.7 - 2.4]	5.8	[3.1 - 10.5]	0.3	[0.1 - 0.7]	83.4	[66.3 - 92.8]
杭州	44.0	[40.8 - 47.3]	0.4	[0.1 - 0.9]	1.7	[0.6 - 4.5]	0.0	[0.0 - 0.1]	97.1	[76.9 - 99.7]
克拉玛依	42.5	[37.1 - 48.1]	0.7	[0.4 - 1.4]	3.0	[1.6 - 5.4]	0.1	[0.0 - 1.0]	86.8	[42.3 - 98.3]
兰州	47.1	[34.5 - 60.0]	0.9	[0.5 - 1.6]	3.5	[2.0 - 6.2]	0.1	[0.0 - 0.7]	88.7	[57.2 - 97.9]
洛阳	62.7	[54.0 - 70.7]	1.7	[0.7 - 4.3]	6.8	[2.4 - 17.5]	0.2	[0.1 - 0.6]	92.1	[69.0 - 98.4]
南昌	54.3	[49.5 - 59.0]	0.3	[0.2 - 0.7]	1.2	[0.5 - 2.8]	0.1	[0.0 - 0.3]	~	~
青岛	41.3	[33.4 - 49.6]	0.1	[0.0 - 0.3]	0.4	[0.1 - 1.9]	0.0	-	~	~
沈阳	46.9	[38.3 - 55.7]	0.8	[0.4 - 1.6]	2.8	[1.4 - 5.4]	0.2	[0.0 - 1.1]	82.2	[41.6 - 96.8]
深圳	51.5	[44.1 - 58.8]	0.6	[0.4 - 1.1]	3.3	[2.0 - 5.6]	0.0	[0.0 - 0.2]	97.2	[78.8 - 99.7]
唐山	48.0	[40.8 - 55.3]	0.7	[0.3 - 1.6]	3.0	[1.5 - 6.0]	0.0	[0.0 - 0.3]	95.5	[77.5 - 99.2]
天津	45.0	[39.0 - 51.2]	0.4	[0.2 - 1.0]	1.9	[0.7 - 4.6]	0.0	[0.0 - 0.1]	97.7	[80.9 - 99.8]
GATS 2010 城市地区	-	-	-	-	-	-	-	-	-	-

-: 无有效数据

~: 未加权样本数少于10, 估计值不显示

地点	戒烟											
	既往每日吸烟者占每日吸烟者(含现在及既往)的比例 (%, 95% CI)						现在吸烟者在过去12个月内尝试过戒烟的比例 (%, 95% CI)					
	总体		男性		女性		总体		男性		女性	
鞍山	12.2	[7.7 - 18.8]	11.0	[6.6 - 17.7]	32.2	[16.4 - 53.5]	17.6	[11.6 - 25.7]	16.6	[10.6 - 24.9]	34.3	[17.0 - 57.0]
北京	9.9	[6.6 - 14.5]	9.6	[6.4 - 14.2]	15.5	[9.1 - 25.1]	22.8	[17.4 - 29.2]	22.5	[16.8 - 29.6]	27.3	[14.0 - 46.3]
长春	9.6	[6.2 - 14.6]	8.7	[5.6 - 13.3]	19.7	[10.1 - 34.8]	24.5	[18.4 - 31.8]	23.2	[17.3 - 30.4]	39.2	[22.7 - 58.7]
哈尔滨	6.8	[4.0 - 11.2]	7.1	[4.2 - 11.8]	1.5	[0.2 - 11.0]	22.8	[16.0 - 31.4]	22.0	[15.1 - 30.8]	33.7	[20.6 - 49.9]
杭州	12.8	[8.0 - 19.9]	12.7	[8.0 - 19.6]	~	~	26.3	[21.7 - 31.6]	26.6	[21.5 - 32.3]	~	~
克拉玛依	16.9	[11.4 - 24.4]	16.2	[11.1 - 23.1]	~	~	39.6	[33.0 - 46.5]	39.2	[32.5 - 46.3]	~	~
兰州	9.7	[5.4 - 16.9]	9.7	[5.5 - 16.7]	~	~	25.9	[20.5 - 32.1]	25.7	[20.4 - 32.0]	~	~
洛阳	15.7	[10.4 - 23.0]	15.2	[9.9 - 22.6]	~	~	24.3	[17.7 - 32.4]	24.0	[17.4 - 32.2]	~	~
南昌	14.2	[11.4 - 17.6]	14.3	[11.4 - 17.7]	13.6	[2.2 - 52.4]	25.4	[20.0 - 31.6]	25.7	[20.3 - 32.0]	18.3	[7.9 - 36.6]
青岛	17.1	[11.8 - 24.1]	17.4	[12.1 - 24.4]	~	~	25.7	[19.2 - 33.6]	25.8	[19.1 - 33.7]	~	~
沈阳	12.5	[8.5 - 18.0]	11.7	[7.7 - 17.4]	20.3	[10.3 - 36.2]	20.7	[15.1 - 27.6]	21.4	[15.6 - 28.7]	14.2	[6.3 - 28.8]
深圳	13.1	[6.6 - 24.4]	12.9	[6.3 - 24.6]	~	~	39.7	[34.2 - 45.4]	39.7	[34.3 - 45.4]	~	~
唐山	6.8	[3.8 - 11.6]	6.1	[3.3 - 11.0]	19.0	[7.5 - 40.6]	19.6	[14.1 - 26.4]	19.7	[14.1 - 26.8]	17.1	[8.2 - 32.3]
天津	14.7	[10.5 - 20.2]	13.7	[9.6 - 19.2]	26.1	[14.5 - 42.2]	16.4	[11.9 - 22.2]	16.2	[11.4 - 22.5]	19.2	[6.9 - 43.4]
GATS 2010 城市地区	13.8	[10.9 - 17.3]	13.7	[11.0 - 17.1]	14.3	[6.5 - 28.4]	9.4	[7.3 - 12.1]	9.1	[7.0 - 11.8]	14.7	[8.0 - 25.5]

~: 未加权样本数少于25, 估计值不显示

地点	戒烟											
	现在吸烟者中在过去12个月内 尝试过戒烟24小时以上(包括24)的比例(%，95% CI)						现在吸烟者中打算在未来12个月内戒烟的比例 (%，95% CI)					
	总体		男性		女性		总体		男性		女性	
鞍山	14.6	[9.4 - 21.9]	14.2	[9.0 - 21.6]	22.3	[11.0 - 39.9]	7.9	[5.1 - 12.1]	7.1	[4.4 - 11.4]	20.7	[7.2 - 46.7]
北京	15.2	[11.5 - 19.8]	15.0	[11.4 - 19.4]	20.2	[8.4 - 41.1]	12.3	[8.2 - 17.9]	11.7	[7.5 - 17.9]	22.9	[9.1 - 46.9]
长春	18.8	[13.2 - 26.0]	17.8	[12.4 - 24.9]	30.8	[16.6 - 50.0]	11.6	[7.9 - 16.8]	10.8	[6.9 - 16.3]	21.3	[12.7 - 33.7]
哈尔滨	15.0	[8.7 - 24.5]	14.4	[8.2 - 24.0]	~	~	12.1	[7.7 - 18.5]	12.7	[7.9 - 19.8]	4.9	[1.0 - 20.8]
杭州	21.0	[16.5 - 26.3]	21.2	[16.4 - 27.0]	~	~	11.7	[5.5 - 22.9]	11.4	[5.2 - 23.2]	~	~
克拉玛依	23.7	[17.0 - 32.1]	23.8	[17.0 - 32.1]	~	~	13.3	[9.3 - 18.7]	13.4	[9.4 - 18.8]	~	~
兰州	17.6	[12.7 - 23.8]	17.5	[12.7 - 23.8]	~	~	13.1	[8.8 - 19.1]	13.1	[8.7 - 19.2]	~	~
洛阳	17.9	[11.4 - 27.1]	17.8	[11.2 - 27.0]	~	~	13.4	[9.0 - 19.4]	13.4	[9.1 - 19.2]	~	~
南昌	17.9	[13.1 - 24.0]	18.5	[13.5 - 24.7]	5.6	[1.3 - 20.8]	10.2	[6.7 - 15.2]	10.5	[6.9 - 15.7]	3.0	[0.4 - 18.3]
青岛	17.8	[11.9 - 25.7]	17.9	[11.9 - 26.0]	~	~	14.2	[8.1 - 23.7]	14.6	[8.3 - 24.3]	~	~
沈阳	11.1	[7.4 - 16.4]	11.9	[7.7 - 17.8]	4.5	[1.2 - 14.7]	13.6	[8.8 - 20.4]	14.6	[9.6 - 21.5]	5.0	[1.1 - 19.6]
深圳	30.0	[22.8 - 38.3]	29.9	[22.7 - 38.3]	~	~	22.0	[16.7 - 28.5]	22.3	[16.8 - 28.8]	~	~
唐山	12.5	[8.3 - 18.4]	12.7	[8.3 - 19.0]	7.5	[2.2 - 22.7]	10.8	[7.0 - 16.3]	9.9	[6.2 - 15.6]	29.2	[12.0 - 55.6]
天津	10.7	[7.0 - 16.2]	10.3	[6.4 - 16.2]	16.2	[4.6 - 43.4]	9.9	[7.1 - 13.7]	10.2	[7.5 - 13.6]	7.4	[1.8 - 25.8]
GATS 2010 城市地区	-	-	-	-	-	-	13.5	[10.0 - 18.1]	13.1	[9.3 - 18.0]	22.2	[13.2 - 34.7]

-: 无有效数据

~: 未加权样本数少于25, 估计值不显示

地点	戒烟									
	现在吸烟者中在过去12个月内 看过医务人员的比例 (%，95% CI)		现在吸烟者中 从医务人员处得到戒烟建议的比例* (%，95% CI)		所有现在和曾经吸烟者按戒烟状态的分布 (%，95% CI)					
	总体		总体		曾经吸烟者		打算在未来12个月内 戒烟的现在吸烟者		不打算在未来12个月内 戒烟的现在吸烟者	
鞍山	27.3	[15.8 - 42.8]	51.0	[22.4 - 79.0]	15.4	[10.5 - 21.9]	6.7	[4.3 - 10.3]	77.9	[71.4 - 83.4]
北京	29.3	[21.3 - 38.8]	58.1	[49.1 - 66.5]	14.6	[10.0 - 20.8]	10.5	[7.0 - 15.4]	74.9	[68.1 - 80.7]
长春	27.8	[19.7 - 37.7]	58.2	[45.8 - 69.5]	13.5	[9.2 - 19.3]	10.0	[6.9 - 14.4]	76.5	[69.2 - 82.5]
哈尔滨	19.9	[14.9 - 26.2]	49.7	[32.9 - 66.7]	12.3	[8.1 - 18.2]	10.7	[6.7 - 16.6]	77.1	[71.3 - 82.0]
杭州	25.1	[16.8 - 35.7]	41.8	[22.9 - 63.5]	19.2	[13.4 - 26.8]	9.4	[4.4 - 18.9]	71.4	[62.4 - 78.9]
克拉玛依	30.4	[22.6 - 39.5]	46.4	[29.5 - 64.1]	20.0	[14.5 - 26.9]	10.6	[7.4 - 15.1]	69.4	[62.5 - 75.4]
兰州	26.1	[16.9 - 38.0]	59.4	[34.4 - 80.3]	14.7	[8.7 - 23.6]	11.2	[7.3 - 16.7]	74.2	[66.5 - 80.6]
洛阳	41.9	[29.1 - 55.8]	53.9	[33.3 - 73.2]	20.8	[14.5 - 29.0]	10.6	[7.2 - 15.3]	68.6	[59.9 - 76.1]
南昌	25.9	[21.4 - 31.0]	48.6	[39.3 - 58.0]	17.7	[14.5 - 21.5]	8.4	[5.5 - 12.5]	73.9	[69.1 - 78.2]
青岛	39.9	[28.8 - 52.2]	70.1	[51.4 - 83.9]	22.9	[16.3 - 31.2]	11.0	[6.3 - 18.5]	66.1	[56.8 - 74.3]
沈阳	25.3	[18.7 - 33.2]	70.2	[48.3 - 85.6]	16.8	[12.2 - 22.9]	11.3	[7.4 - 16.8]	71.9	[63.6 - 78.9]
深圳	44.4	[35.9 - 53.2]	57.2	[34.1 - 77.6]	20.2	[14.2 - 28.0]	17.6	[13.5 - 22.6]	62.2	[54.0 - 69.8]
唐山	18.8	[13.4 - 25.7]	61.6	[46.0 - 75.1]	14.2	[9.4 - 21.0]	9.3	[6.1 - 13.9]	76.5	[68.9 - 82.8]
天津	30.1	[21.6 - 40.2]	66.5	[56.0 - 75.5]	18.3	[13.6 - 24.2]	8.1	[5.7 - 11.4]	73.6	[68.3 - 78.2]
GATS 2010 城市地区	27.1	[22.7 - 32.0]	30.7	[25.6 - 36.4]	16.9	[13.7 - 20.6]	11.2	[8.5 - 14.7]	71.9	[65.8 - 77.2]

*: 过去12个月内看过医务人员的现在吸烟者

地点	二手烟暴露													
	过去30天内在各类室内公共场所暴露于二手烟的成人比例 (% , 95% CI)													
	政府大楼/办公室		医疗卫生机构		餐馆		酒吧/夜总会		公共交通工具		中小学校, 中专和高职 (室内和室外)		大学	
鞍山	21.7	[10.2 - 40.2]	20.0	[10.8 - 34.0]	74.0	[64.2 - 81.8]	95.7	[83.3 - 99.0]	6.3	[4.3 - 9.2]	41.7	[26.7 - 58.5]	19.6	[8.1 - 40.5]
北京	19.9	[15.0 - 25.9]	13.4	[10.9 - 16.4]	65.3	[57.8 - 72.1]	89.1	[81.2 - 93.9]	3.1	[2.2 - 4.5]	33.4	[25.3 - 42.6]	26.0	[19.5 - 33.8]
长春	32.1	[25.3 - 39.7]	22.5	[16.3 - 30.3]	72.7	[62.0 - 81.3]	78.9	[61.4 - 89.8]	11.5	[7.4 - 17.5]	33.3	[24.4 - 43.5]	17.9	[12.2 - 25.6]
哈尔滨	38.2	[24.4 - 54.3]	28.9	[19.6 - 40.4]	65.0	[53.3 - 75.1]	74.7	[58.7 - 85.9]	10.1	[6.0 - 16.6]	30.4	[19.7 - 43.7]	24.5	[15.9 - 35.8]
杭州	20.6	[14.9 - 27.8]	16.3	[12.7 - 20.6]	58.1	[52.0 - 63.9]	92.5	[86.3 - 96.0]	5.5	[3.5 - 8.8]	30.7	[22.2 - 40.7]	20.5	[12.8 - 31.2]
克拉玛依	9.3	[5.7 - 14.9]	7.3	[4.9 - 10.7]	53.6	[43.5 - 63.4]	90.2	[73.8 - 96.8]	6.2	[4.2 - 9.0]	23.3	[16.3 - 32.3]	23.5	[8.3 - 51.1]
兰州	40.0	[31.7 - 49.0]	10.3	[6.9 - 15.2]	69.9	[58.7 - 79.1]	89.1	[77.5 - 95.1]	8.1	[5.3 - 12.3]	39.4	[24.2 - 56.9]	24.9	[14.7 - 38.8]
洛阳	31.6	[18.7 - 48.0]	15.8	[11.2 - 21.9]	78.2	[70.0 - 84.6]	90.2	[73.3 - 96.9]	11.1	[6.7 - 18.0]	38.7	[26.7 - 52.3]	23.9	[14.4 - 37.0]
南昌	44.0	[36.3 - 52.1]	43.9	[38.3 - 49.7]	79.9	[74.9 - 84.1]	95.3	[82.0 - 98.9]	19.0	[15.2 - 23.4]	45.0	[37.8 - 52.5]	32.5	[23.5 - 42.9]
青岛	14.7	[9.1 - 23.0]	14.1	[8.3 - 23.0]	59.0	[48.3 - 69.0]	69.1	[46.8 - 85.0]	11.9	[4.7 - 27.0]	21.7	[14.2 - 31.6]	26.6	[16.5 - 40.1]
沈阳	29.6	[17.2 - 46.0]	23.9	[16.6 - 33.1]	78.1	[66.6 - 86.4]	99.2	[92.8 - 99.9]	18.1	[9.9 - 30.7]	43.9	[29.0 - 60.0]	27.2	[14.6 - 44.9]
深圳	23.6	[19.6 - 28.1]	18.3	[14.9 - 22.3]	42.4	[36.7 - 48.3]	76.9	[70.6 - 82.1]	7.3	[3.9 - 13.3]	27.9	[20.7 - 36.4]	14.5	[8.8 - 23.1]
唐山	21.2	[14.1 - 30.6]	16.1	[10.3 - 24.3]	71.8	[62.6 - 79.5]	86.0	[72.5 - 93.5]	6.7	[3.9 - 11.1]	23.9	[14.6 - 36.5]	13.8	[7.2 - 24.9]
天津	34.6	[24.4 - 46.4]	18.4	[12.4 - 26.5]	80.8	[75.6 - 85.1]	95.5	[89.7 - 98.1]	9.4	[6.9 - 12.7]	40.3	[27.6 - 54.4]	18.0	[10.9 - 28.3]
GATS 2010 城市地区	56.3	[47.5 - 64.7]	32.2	[27.0 - 37.9]	88.5	[85.5 - 91.0]	-	-	26.8	[19.2 - 36.0]	36.2	[28.6 - 44.7]	-	-

-: 无有效数据

地点	二手烟暴露									
	在室内工作场所暴露于 二手烟的成人比例* (%, 95% CI)		在家里暴露于 二手烟的成人比例* (%, 95% CI)		支持在室内公共场所禁烟的成人比例 (%, 95% CI)					
	总体		总体		工作场所		医疗卫生机构		餐馆	
鞍山	42.3	[32.5 - 52.6]	49.5	[43.8 - 55.2]	94.9	[90.8 - 97.2]	97.8	[95.2 - 99.0]	82.9	[74.9 - 88.7]
北京	36.4	[31.0 - 42.1]	37.2	[31.4 - 43.4]	94.2	[89.7 - 96.8]	98.7	[97.8 - 99.2]	85.4	[79.3 - 89.9]
长春	48.9	[41.2 - 56.6]	45.8	[37.2 - 54.6]	91.3	[86.4 - 94.6]	97.1	[95.3 - 98.2]	76.2	[69.4 - 81.8]
哈尔滨	40.8	[31.8 - 50.5]	37.2	[30.7 - 44.1]	92.9	[86.1 - 96.5]	94.9	[87.3 - 98.1]	81.2	[70.8 - 88.4]
杭州	45.4	[41.7 - 49.2]	29.6	[23.0 - 37.3]	92.4	[90.1 - 94.2]	98.2	[97.0 - 98.9]	85.3	[79.7 - 89.6]
克拉玛依	36.3	[27.7 - 46.0]	27.1	[22.8 - 31.9]	95.4	[92.7 - 97.2]	97.7	[95.6 - 98.8]	83.2	[75.7 - 88.7]
兰州	44.2	[33.9 - 55.0]	39.7	[32.0 - 47.9]	91.4	[78.1 - 96.9]	96.0	[87.6 - 98.8]	71.0	[60.9 - 79.3]
洛阳	52.3	[42.6 - 61.8]	30.7	[23.7 - 38.7]	94.8	[90.0 - 97.3]	99.1	[98.2 - 99.5]	79.8	[72.4 - 85.6]
南昌	59.6	[54.2 - 64.7]	43.6	[39.2 - 48.1]	93.3	[91.3 - 94.8]	98.0	[96.7 - 98.9]	86.2	[82.3 - 89.3]
青岛	26.2	[21.3 - 31.6]	37.8	[29.6 - 46.9]	92.8	[88.6 - 95.5]	95.3	[89.9 - 97.8]	80.1	[71.1 - 86.8]
沈阳	50.9	[39.3 - 62.5]	41.6	[35.7 - 47.8]	88.1	[73.3 - 95.2]	93.2	[74.0 - 98.5]	63.6	[48.0 - 76.7]
深圳	40.1	[35.2 - 45.3]	28.9	[23.6 - 34.8]	92.5	[89.4 - 94.7]	98.0	[96.3 - 98.9]	85.8	[80.7 - 89.8]
唐山	45.3	[37.6 - 53.2]	35.2	[29.2 - 41.7]	95.0	[91.2 - 97.2]	97.5	[94.3 - 99.0]	77.9	[65.4 - 86.8]
天津	43.1	[34.8 - 51.7]	37.0	[29.7 - 44.9]	92.7	[85.5 - 96.4]	97.4	[95.9 - 98.3]	81.7	[73.7 - 87.6]
GATS 2010 城市地区	62.4	[57.0 - 67.6]	60.0	[56.4 - 63.5]	-	-	-	-	-	-

-: 无有效数据

*: 在过去30天内

地点	二手烟暴露											
	支持在室内公共场所禁烟的成人比例 (%, 95% CI)						成人中知晓下列室内场所全面禁烟的比例 (%, 95% CI)					
	酒吧/夜总会		出租车		中小学校 (包括中专和职高)		大学		工作场所		医疗卫生机构	
鞍山	66.8	[55.0 - 76.8]	93.8	[90.1 - 96.2]	98.6	[97.0 - 99.3]	97.3	[93.8 - 98.8]	38.7	[25.7 - 53.4]	57.9	[43.3 - 71.3]
北京	61.2	[50.6 - 70.8]	94.5	[90.8 - 96.8]	99.0	[97.8 - 99.5]	95.3	[91.4 - 97.5]	~	~	61.7	[48.8 - 73.2]
长春	57.5	[48.4 - 66.1]	90.8	[86.2 - 94.0]	98.5	[96.6 - 99.3]	95.8	[93.8 - 97.1]	~	~	56.3	[44.3 - 67.5]
哈尔滨	65.1	[51.0 - 77.0]	92.0	[86.8 - 95.3]	95.8	[90.6 - 98.2]	94.5	[89.5 - 97.2]	64.6	[51.9 - 75.6]	69.7	[58.1 - 79.3]
杭州	47.4	[40.7 - 54.3]	95.9	[94.3 - 97.1]	98.3	[97.4 - 98.8]	95.6	[94.0 - 96.8]	~	~	40.9	[30.5 - 52.3]
克拉玛依	47.7	[39.7 - 55.9]	91.5	[87.4 - 94.4]	96.5	[93.6 - 98.1]	93.3	[89.1 - 96.0]	44.7	[33.9 - 56.0]	58.1	[45.3 - 70.0]
兰州	29.0	[21.6 - 37.8]	91.7	[82.6 - 96.3]	95.9	[83.6 - 99.1]	91.6	[80.4 - 96.7]	~	~	56.9	[43.0 - 69.8]
洛阳	47.7	[37.4 - 58.3]	93.8	[89.8 - 96.3]	98.9	[97.9 - 99.4]	96.7	[94.7 - 98.0]	~	~	51.7	[37.2 - 65.9]
南昌	67.9	[62.6 - 72.7]	93.1	[90.3 - 95.2]	97.5	[95.6 - 98.5]	94.8	[91.7 - 96.8]	~	~	34.1	[23.7 - 46.4]
青岛	62.8	[52.8 - 71.8]	92.7	[87.4 - 95.9]	95.2	[91.0 - 97.5]	92.0	[85.9 - 95.6]	44.7	[33.0 - 57.0]	60.1	[47.9 - 71.2]
沈阳	42.0	[29.2 - 55.9]	86.2	[77.8 - 91.8]	95.3	[82.0 - 98.9]	92.8	[81.1 - 97.5]	~	~	55.7	[40.5 - 69.9]
深圳	52.0	[45.7 - 58.3]	93.0	[88.4 - 95.9]	98.7	[97.9 - 99.2]	94.7	[92.8 - 96.2]	47.4	[40.0 - 55.0]	57.6	[50.1 - 64.8]
唐山	62.1	[49.2 - 73.5]	94.0	[88.9 - 96.9]	97.5	[95.2 - 98.7]	96.6	[94.5 - 98.0]	~	~	56.1	[43.0 - 68.4]
天津	57.4	[48.1 - 66.3]	95.0	[91.9 - 96.9]	98.3	[97.4 - 98.9]	97.3	[96.3 - 98.1]	48.9	[40.1 - 57.8]	67.3	[56.1 - 76.8]
GATS 2010 城市地区	-	-	-	-	-	-	-	-	-	-	-	-

~: 调查时无禁烟法规

-: 无有效数据

地点	二手烟暴露									
	成人中知晓下列室内场所全面禁烟的比例 (%, 95% CI)									
	餐馆		酒吧/夜总会		出租车		中小学校 (包括中专和职高)		大学	
鞍山	26.0	[15.1 - 41.0]	19.5	[10.5 - 33.4]	61.6	[45.2 - 75.7]	63.9	[48.4 - 77.0]	55.7	[41.4 - 69.1]
北京	~	~	~	~	57.8	[46.5 - 68.4]	64.6	[48.1 - 78.3]	~	~
长春	~	~	~	~	~	~	63.1	[50.5 - 74.2]	~	~
哈尔滨	52.7	[38.6 - 66.3]	-	-	79.6	[71.3 - 85.9]	77.9	[66.7 - 86.1]	74.0	[62.4 - 83.0]
杭州	~	~	~	~	72.2	[66.4 - 77.4]	41.1	[29.5 - 53.8]	~	~
克拉玛依	28.2	[19.4 - 39.0]	13.5	[7.4 - 23.2]	69.6	[59.7 - 78.0]	66.6	[56.9 - 75.1]	49.4	[38.7 - 60.2]
兰州	~	~	~	~	~	~	59.4	[41.3 - 75.2]	~	~
洛阳	~	~	~	~	~	~	56.2	[40.4 - 70.9]	~	~
南昌	~	~	~	~	~	~	35.2	[25.1 - 46.8]	~	~
青岛	35.4	[24.8 - 47.6]	24.0	[15.1 - 35.8]	63.9	[53.1 - 73.5]	61.2	[49.0 - 72.2]	55.2	[42.4 - 67.4]
沈阳	~	~	~	~	~	~	62.8	[46.9 - 76.3]	~	~
深圳	48.0	[40.4 - 55.7]	~	~	56.5	[49.7 - 63.0]	65.7	[57.8 - 72.9]	54.9	[46.0 - 63.4]
唐山	~	~	~	~	~	~	63.3	[51.5 - 73.7]	~	~
天津	~	~	~	~	77.2	[67.5 - 84.6]	67.9	[59.4 - 75.4]	62.7	[54.2 - 70.5]
GATS 2010 城市地区	-	-	-	-	-	-	-	-	-	-

~: 调查时无禁烟法规

-: 无有效数据

烟草营销和控烟信息										
在过去30天内, 注意到卷烟销售点广告、及其他各类卷烟促销活动的成人的比例 (% , 95% CI)										
地点	烟草销售点广告		免费样品		价格折扣		优惠券		免费礼物/其他商品折扣	
鞍山	7.6	[4.5 - 12.7]	0.4	[0.2 - 0.9]	0.7	[0.4 - 1.3]	0.2	[0.1 - 0.5]	2.7	[1.4 - 4.9]
北京	11.8	[6.1 - 21.8]	0.9	[0.4 - 2.0]	2.6	[1.2 - 5.6]	0.4	[0.2 - 0.9]	3.9	[1.8 - 8.3]
长春	11.3	[6.8 - 18.4]	1.4	[0.7 - 3.1]	1.6	[1.0 - 2.5]	0.4	[0.1 - 1.4]	2.6	[1.1 - 5.7]
哈尔滨	14.1	[9.2 - 21.1]	2.8	[1.6 - 4.6]	1.8	[0.9 - 3.8]	1.4	[0.6 - 3.2]	1.3	[0.6 - 2.9]
杭州	10.9	[8.9 - 13.3]	1.1	[0.5 - 2.3]	0.8	[0.4 - 1.9]	0.3	[0.1 - 0.7]	1.3	[0.7 - 2.6]
克拉玛依	7.9	[5.3 - 11.4]	0.9	[0.5 - 1.8]	1.1	[0.5 - 2.6]	0.3	[0.1 - 0.6]	1.7	[0.7 - 3.9]
兰州	9.1	[6.8 - 12.2]	2.0	[1.1 - 3.6]	1.0	[0.5 - 2.0]	0.6	[0.3 - 1.3]	1.4	[0.8 - 2.5]
洛阳	8.1	[5.5 - 11.7]	0.8	[0.3 - 2.4]	1.4	[0.6 - 3.0]	0.3	[0.1 - 1.6]	1.6	[0.9 - 2.8]
南昌	9.7	[7.0 - 13.3]	0.9	[0.4 - 1.6]	0.3	[0.1 - 1.2]	0.1	[0.0 - 0.3]	0.9	[0.4 - 1.9]
青岛	13.3	[6.0 - 26.9]	1.0	[0.5 - 2.1]	0.7	[0.3 - 1.6]	0.6	[0.3 - 1.1]	0.8	[0.3 - 2.4]
沈阳	13.7	[8.6 - 21.1]	1.7	[0.8 - 3.4]	1.9	[0.8 - 4.6]	1.0	[0.2 - 4.1]	3.0	[1.3 - 6.7]
深圳	9.5	[7.7 - 11.7]	1.1	[0.6 - 2.1]	1.3	[0.8 - 2.3]	0.6	[0.3 - 1.5]	2.8	[1.9 - 4.2]
唐山	7.7	[5.2 - 11.2]	1.5	[0.8 - 2.8]	1.1	[0.6 - 2.0]	0.6	[0.2 - 1.3]	1.6	[0.5 - 4.9]
天津	8.7	[6.2 - 12.0]	1.2	[0.5 - 2.7]	2.9	[1.4 - 6.2]	0.8	[0.3 - 2.4]	2.9	[1.8 - 4.7]
GATS 2010 城市地区	4.9	[3.7 - 6.5]	0.8	[0.4 - 1.3]	0.8	[0.4 - 1.4]	0.0	[0.0 - 0.1]	1.1	[0.7 - 1.7]

烟草营销和控烟信息										
在过去30天内, 注意到卷烟销售点广告、及其他各类卷烟促销活动的成人的比例 (% , 95% CI)										
在过去30天内, 在报刊杂志或电视上看到过控烟信息的成人的比例 (% , 95% CI)										
地点	印有卷烟品牌标志的物品		邮件促销		报刊杂志		电视		报刊杂志或电视	
鞍山	0.2	[0.1 - 0.4]	0.2	[0.1 - 0.4]	51.7	[37.9 - 65.2]	67.1	[52.7 - 78.9]	70.8	[56.1 - 82.2]
北京	3.9	[0.9 - 15.3]	0.8	[0.3 - 2.1]	42.8	[36.4 - 49.5]	59.7	[53.6 - 65.5]	64.8	[58.6 - 70.6]
长春	1.4	[0.6 - 3.4]	0.4	[0.1 - 1.1]	41.6	[31.7 - 52.2]	55.0	[43.8 - 65.7]	58.1	[46.6 - 68.8]
哈尔滨	1.7	[0.8 - 3.4]	1.0	[0.4 - 2.6]	53.6	[45.4 - 61.5]	63.1	[53.3 - 72.0]	67.4	[58.7 - 75.1]
杭州	1.8	[1.2 - 2.7]	0.4	[0.2 - 0.8]	45.0	[38.3 - 52.0]	57.0	[49.2 - 64.5]	63.0	[53.7 - 71.5]
克拉玛依	0.8	[0.4 - 1.5]	0.2	[0.1 - 0.4]	52.0	[44.5 - 59.5]	73.4	[63.7 - 81.2]	75.5	[66.4 - 82.9]
兰州	1.8	[0.9 - 3.5]	0.8	[0.3 - 2.0]	54.0	[42.6 - 65.0]	68.2	[54.8 - 79.1]	72.0	[59.2 - 82.0]
洛阳	1.0	[0.5 - 1.9]	0.4	[0.1 - 1.2]	56.5	[46.8 - 65.7]	68.7	[59.1 - 77.0]	74.6	[64.3 - 82.8]
南昌	1.6	[0.7 - 3.5]	0.1	[0.0 - 0.6]	41.8	[34.9 - 49.0]	58.4	[52.2 - 64.4]	63.3	[56.9 - 69.3]
青岛	0.7	[0.4 - 1.3]	0.6	[0.3 - 1.2]	43.8	[35.6 - 52.3]	59.2	[48.2 - 69.4]	63.1	[52.1 - 72.9]
沈阳	0.6	[0.3 - 1.4]	6.0	[0.9 - 32.2]	43.1	[30.5 - 56.8]	57.2	[44.8 - 68.8]	62.4	[50.7 - 72.9]
深圳	3.5	[1.7 - 7.2]	0.9	[0.5 - 1.9]	50.0	[43.5 - 56.5]	67.2	[61.3 - 72.7]	74.7	[69.3 - 79.3]
唐山	2.6	[0.6 - 11.5]	0.6	[0.3 - 1.4]	57.2	[48.4 - 65.6]	72.0	[62.6 - 79.8]	75.4	[66.5 - 82.5]
天津	1.4	[0.6 - 3.3]	0.5	[0.1 - 2.4]	46.2	[37.9 - 54.8]	61.8	[52.9 - 70.0]	64.6	[55.5 - 72.8]
GATS 2010 城市地区	0.9	[0.6 - 1.5]	0.0	[0.0 - 0.1]	30.3	[26.1 - 34.9]	49.2	[43.6 - 54.9]	55.9	[49.6 - 62.1]

地点	知识、态度和认知									
	成人中知晓吸烟导致多种疾病的比例 (%, 95% CI)									
	中风		心肌梗塞		肺癌		阴茎勃起障碍		所有四种疾病	
鞍山	54.6	[40.9 - 67.6]	62.1	[47.7 - 74.6]	90.6	[82.9 - 95.0]	29.5	[20.2 - 40.7]	23.8	[15.2 - 35.2]
北京	52.5	[45.0 - 59.9]	66.9	[58.8 - 74.1]	94.2	[92.5 - 95.6]	35.6	[29.1 - 42.6]	28.0	[21.9 - 35.1]
长春	48.8	[39.6 - 58.1]	62.9	[53.4 - 71.6]	91.4	[85.5 - 95.0]	22.6	[14.2 - 33.9]	17.1	[11.0 - 25.8]
哈尔滨	64.8	[56.1 - 72.7]	73.6	[65.9 - 80.1]	91.2	[86.3 - 94.5]	24.0	[15.4 - 35.3]	21.1	[13.2 - 32.0]
杭州	44.4	[39.4 - 49.6]	52.5	[45.9 - 58.9]	91.5	[88.5 - 93.8]	28.1	[21.9 - 35.4]	20.0	[15.1 - 26.0]
克拉玛依	42.3	[34.2 - 50.7]	54.8	[45.8 - 63.4]	88.8	[80.4 - 93.9]	31.6	[23.8 - 40.5]	22.4	[16.4 - 29.8]
兰州	32.4	[23.6 - 42.7]	43.5	[32.4 - 55.3]	84.5	[62.6 - 94.7]	23.5	[15.4 - 34.3]	14.6	[9.5 - 21.8]
洛阳	47.5	[39.5 - 55.6]	57.2	[48.3 - 65.6]	95.1	[93.2 - 96.5]	26.3	[18.5 - 36.0]	19.4	[13.5 - 27.2]
南昌	46.2	[41.9 - 50.6]	58.9	[55.5 - 62.2]	92.1	[89.9 - 93.9]	28.1	[24.6 - 31.8]	22.9	[19.4 - 26.9]
青岛	57.8	[47.7 - 67.3]	65.3	[55.2 - 74.3]	92.0	[87.6 - 94.9]	38.4	[27.0 - 51.2]	34.1	[23.3 - 46.9]
沈阳	55.1	[43.5 - 66.2]	62.5	[50.9 - 72.9]	92.2	[88.9 - 94.6]	26.5	[17.8 - 37.5]	21.1	[13.0 - 32.4]
深圳	45.9	[39.5 - 52.4]	58.5	[50.9 - 65.6]	93.1	[90.3 - 95.2]	39.4	[31.6 - 47.8]	27.2	[20.0 - 35.8]
唐山	64.9	[54.3 - 74.2]	74.1	[65.4 - 81.2]	95.5	[92.6 - 97.3]	37.8	[26.9 - 50.2]	34.6	[23.8 - 47.3]
天津	66.1	[56.2 - 74.8]	74.9	[67.6 - 81.1]	95.4	[93.2 - 96.8]	32.1	[23.0 - 42.9]	28.3	[19.1 - 39.6]
GATS 2010 城市地区	33.8	[29.1 - 38.7]	47.5	[43.3 - 51.8]	87.6	[85.5 - 89.5]	-	-	-	-

- 无有效数据

地点	知识、态度和认知							
	成人中知晓二手烟导致多种疾病的比例 (%, 95% CI)							
	成人心脏病		成人肺癌		儿童肺部疾病		所有三种疾病	
鞍山	61.9	[48.2 - 74.0]	89.0	[82.7 - 93.2]	78.7	[68.7 - 86.2]	59.0	[45.7 - 71.1]
北京	66.3	[59.4 - 72.5]	90.6	[88.8 - 92.1]	85.4	[82.3 - 87.9]	62.8	[56.4 - 68.8]
长春	61.0	[51.8 - 69.5]	83.8	[74.9 - 89.9]	75.4	[64.6 - 83.8]	55.2	[46.7 - 63.3]
哈尔滨	70.1	[61.6 - 77.5]	87.4	[81.9 - 91.4]	76.6	[66.7 - 84.3]	62.7	[52.5 - 71.9]
杭州	52.6	[44.7 - 60.4]	86.4	[84.5 - 88.2]	79.7	[70.7 - 86.5]	49.6	[42.3 - 57.0]
克拉玛依	55.1	[46.1 - 63.8]	82.6	[73.8 - 88.9]	75.8	[66.8 - 83.0]	50.4	[41.7 - 59.2]
兰州	49.9	[37.8 - 62.0]	82.1	[62.2 - 92.8]	75.5	[59.1 - 86.9]	46.9	[35.3 - 58.8]
洛阳	57.3	[48.7 - 65.5]	86.5	[80.2 - 91.0]	80.0	[74.2 - 84.8]	50.9	[42.2 - 59.5]
南昌	62.7	[59.4 - 65.9]	85.2	[82.2 - 87.7]	81.8	[78.5 - 84.8]	58.0	[54.4 - 61.6]
青岛	64.3	[55.2 - 72.4]	87.2	[82.2 - 90.9]	79.2	[70.8 - 85.6]	58.9	[49.1 - 68.1]
沈阳	58.3	[46.3 - 69.4]	86.3	[81.6 - 89.9]	74.8	[63.8 - 83.3]	54.8	[42.7 - 66.3]
深圳	59.2	[52.5 - 65.6]	85.8	[81.7 - 89.1]	80.6	[74.3 - 85.6]	53.9	[47.2 - 60.4]
唐山	73.6	[65.7 - 80.3]	92.7	[89.0 - 95.2]	87.2	[82.1 - 91.1]	70.5	[62.7 - 77.4]
天津	74.3	[66.6 - 80.7]	90.7	[86.3 - 93.8]	83.0	[77.7 - 87.3]	70.4	[62.3 - 77.5]
GATS 2010 城市地区	36.1	[31.9 - 40.5]	66.5	[62.6 - 70.1]	64.0	[59.8 - 68.0]	32.9	[28.6 - 37.5]

地点	知识、态度和认知													
	成人中错误地认为低焦油卷烟比普通卷烟危害程度低的比例 (%, 95% CI)						不同教育程度的成人中错误地认为低焦油卷烟比普通卷烟危害程度低的比例 (%, 95% CI)							
	总体		现在吸烟者		非吸烟者		小学及以下		初中毕业		高中毕业		大学毕业或更高	
鞍山	37.1	[26.1 - 49.7]	49.3	[36.2 - 62.5]	33.4	[22.7 - 46.3]	29.9	[15.7 - 49.3]	38.2	[25.1 - 53.3]	42.8	[31.4 - 55.0]	37.6	[25.7 - 51.1]
北京	33.5	[26.7 - 41.1]	46.7	[39.2 - 54.4]	29.7	[22.7 - 37.8]	16.7	[9.8 - 26.9]	35.0	[22.8 - 49.6]	39.9	[27.2 - 54.2]	35.8	[30.2 - 41.9]
长春	27.4	[21.9 - 33.6]	38.2	[28.2 - 49.2]	24.1	[18.6 - 30.6]	18.5	[11.9 - 27.6]	21.5	[16.2 - 28.0]	30.5	[22.7 - 39.7]	33.3	[26.8 - 40.7]
哈尔滨	32.7	[23.2 - 43.9]	47.4	[33.4 - 61.8]	29.3	[20.3 - 40.2]	23.8	[15.2 - 35.2]	26.2	[17.2 - 37.7]	32.1	[21.0 - 45.8]	38.9	[26.9 - 52.6]
杭州	40.5	[34.8 - 46.3]	52.0	[46.7 - 57.1]	37.5	[31.4 - 43.9]	20.8	[13.1 - 31.5]	33.0	[26.4 - 40.3]	41.9	[33.8 - 50.5]	44.8	[38.1 - 51.7]
克拉玛依	30.3	[23.9 - 37.7]	42.2	[32.2 - 52.9]	27.1	[20.8 - 34.6]	18.9	[12.0 - 28.5]	27.5	[20.5 - 35.7]	31.1	[22.1 - 41.9]	39.0	[33.0 - 45.3]
兰州	31.5	[21.2 - 44.1]	43.4	[28.4 - 59.8]	28.2	[18.4 - 40.5]	28.4	[15.9 - 45.4]	29.5	[16.5 - 47.0]	30.8	[21.4 - 42.1]	37.5	[26.3 - 50.3]
洛阳	28.6	[22.9 - 35.0]	48.9	[38.8 - 59.2]	22.5	[17.0 - 29.0]	15.5	[9.9 - 23.4]	25.7	[19.0 - 33.8]	31.3	[24.4 - 39.2]	32.5	[25.9 - 39.9]
南昌	42.7	[36.3 - 49.4]	54.3	[46.8 - 61.5]	39.3	[32.2 - 46.9]	26.3	[19.4 - 34.7]	43.0	[36.0 - 50.4]	45.0	[36.1 - 54.2]	41.6	[35.3 - 48.2]
青岛	36.0	[27.1 - 46.1]	49.4	[36.4 - 62.5]	33.1	[24.4 - 43.2]	31.4	[22.3 - 42.2]	44.4	[33.9 - 55.4]	32.5	[23.0 - 43.7]	35.0	[23.3 - 48.9]
沈阳	36.1	[23.0 - 51.6]	51.9	[36.4 - 67.0]	30.9	[18.4 - 47.1]	43.0	[21.3 - 67.8]	38.7	[22.1 - 58.5]	33.0	[20.6 - 48.2]	33.7	[21.0 - 49.2]
深圳	34.1	[28.6 - 40.1]	41.7	[34.2 - 49.7]	32.4	[26.7 - 38.6]	15.2	[9.7 - 23.1]	23.5	[15.7 - 33.5]	30.6	[23.9 - 38.3]	40.4	[31.7 - 49.7]
唐山	25.1	[18.2 - 33.6]	38.7	[30.4 - 47.7]	21.5	[14.1 - 31.2]	15.5	[10.1 - 22.9]	26.7	[20.7 - 33.7]	29.1	[20.8 - 39.1]	29.8	[19.7 - 42.3]
天津	24.8	[17.3 - 34.3]	34.1	[25.4 - 44.0]	22.2	[14.5 - 32.4]	18.1	[10.2 - 30.0]	22.7	[13.9 - 34.8]	27.3	[19.1 - 37.5]	27.6	[18.8 - 38.5]
GATS 2010 城市地区	41.8	[36.8 - 47.0]	60.1	[52.8 - 66.9]	35.4	[30.4 - 40.6]	27.4	[21.3 - 34.5]	45.2	[40.0 - 50.5]	45.7	[38.7 - 52.9]	46.5	[40.1 - 53.0]

*: 仅限于年龄为25岁或以上的成人

地点	经济*					
	购买20支机制卷烟花费的中位数(¥)		每月购买机制卷烟花费的中位数(¥)		用于购买2,000支机制卷烟花费中位数占年人均可支配收入的比例(%, 95% CI)	
	总体		总体		总体	
鞍山	8.0	[6.9 - 9.4]	158.2	[150.1 - 192.1]	3.0	[2.6 - 3.5]
北京	9.7	[9.6 - 9.9]	174.0	[155.2 - 228.3]	2.4	[2.4 - 2.5]
长春	9.9	[9.8 - 10.0]	174.6	[151.7 - 231.3]	3.8	[3.8 - 3.8]
哈尔滨	10.0	[9.8 - 11.7]	179.4	[149.4 - 222.0]	4.0	[3.9 - 4.6]
杭州	19.9	[19.9 - 20.0]	301.7	[269.1 - 361.5]	5.1	[5.1 - 5.1]
克拉玛依	9.7	[9.5 - 9.8]	144.0	[121.4 - 173.8]	3.8	[3.8 - 3.9]
兰州	10.0	[9.6 - 15.4]	150.0	[108.4 - 152.1]	4.8	[4.6 - 7.4]
洛阳	9.9	[9.9 - 10.0]	150.8	[137.6 - 230.2]	4.0	[4.0 - 4.0]
南昌	12.6	[10.0 - 12.8]	218.8	[197.5 - 277.2]	4.8	[3.8 - 4.9]
青岛	9.9	[9.7 - 10.0]	198.5	[151.9 - 239.7]	2.8	[2.8 - 2.8]
沈阳	9.5	[7.9 - 9.7]	150.7	[146.5 - 182.5]	3.3	[2.7 - 3.4]
深圳	14.9	[13.3 - 19.2]	220.6	[180.2 - 312.8]	3.3	[3.0 - 4.3]
唐山	9.7	[9.3 - 12.6]	178.3	[142.4 - 254.7]	3.7	[3.5 - 4.7]
天津	9.5	[7.5 - 9.7]	148.5	[128.1 - 170.0]	2.9	[2.3 - 3.0]
GATS 2010 城市地区	7.3	[6.2 - 9.8]	150.9	[128.9 - 152.1]	3.8	[3.3 - 5.1]

*: 剔除异常值后的估计值

地点	经济*							
	每月购买机制卷烟花费 中位数占月人均可支配收入的比例 (%, 95% CI)		购买2,000支机制卷烟花费 中位数占人均GDP**的比例 (%, 95% CI)		每月购买机制卷烟花费中位数 占月人均GDP**的比例 (%)		年人均可支配收入 (¥)	年人均 GDP** (¥)
	总体		总体		总体		总体	总体
鞍山	7.1	[6.8 - 8.6]	1.1	[0.9 - 1.2]	2.5	[2.4 - 3.1]	26,662	74,940
北京	5.2	[4.6 - 6.8]	1.0	[1.0 - 1.1]	2.2	[2.0 - 2.9]	40,321	93,213
长春	8.1	[7.0 - 10.7]	1.5	[1.5 - 1.5]	3.2	[2.7 - 4.2]	26,034	66,286
哈尔滨	8.5	[7.1 - 10.6]	2.2	[2.2 - 2.6]	4.8	[4.0 - 5.9]	25,197	45,010
杭州	9.2	[8.2 - 11.0]	2.1	[2.1 - 2.1]	3.9	[3.4 - 4.6]	39,310	94,000
克拉玛依	6.8	[5.8 - 8.3]	0.4	[0.4 - 0.4]	0.8	[0.6 - 0.9]	25,249	227,115
兰州	8.7	[6.3 - 8.8]	2.0	[1.9 - 3.1]	3.7	[2.6 - 3.7]	20,767	49,195
洛阳	7.3	[6.7 - 11.1]	2.1	[2.1 - 2.1]	3.8	[3.5 - 5.8]	24,820	47,589
南昌	10.0	[9.1 - 12.7]	1.9	[1.5 - 2.0]	4.0	[3.6 - 5.1]	26,151	65,412
青岛	6.8	[5.2 - 8.2]	1.1	[1.1 - 1.1]	2.7	[2.0 - 3.2]	35,227	89,797
沈阳	6.2	[6.0 - 7.5]	1.1	[0.9 - 1.1]	2.1	[2.0 - 2.5]	29,074	86,850
深圳	5.9	[4.8 - 8.4]	1.1	[1.0 - 1.4]	1.9	[1.6 - 2.7]	44,653	137,477
唐山	8.0	[6.4 - 11.5]	1.2	[1.1 - 1.5]	2.6	[2.1 - 3.7]	26,647	82,605
天津	5.5	[4.7 - 6.2]	0.9	[0.7 - 1.0]	1.8	[1.5 - 2.0]	32,658	101,689
GATS 2010 城市地区	9.5	[8.1 - 9.5]	2.4	[2.1 - 3.3]	6.0	[5.2 - 6.1]	19,109***	30,015***

*: 剔除异常值后的估计值

**：包括城市及农村地区数据

***: 数据来源: 中国国家统计局. <http://data.stats.gov.cn>. 访问时间 2015年1月6日

附录二 2013-2014中国部分城市成人烟草调查，参与调查14城市城区覆盖范围*

城市	调查时间	覆盖区域
鞍山	2013.11 - 2013.12	铁东区, 铁西区, 立山区
北京	2014.06 - 2014.08	东城区, 西城区, 朝阳区, 海淀区, 丰台区, 石景山区, 门头沟区, 房山区, 大兴区, 通州区, 顺义区, 昌平区, 平谷区, 怀柔区, 密云县, 延庆县
长春	2013.11 - 2014.01	宽城区, 二道区, 南关区, 绿园区, 朝阳区
哈尔滨	2014.03 - 2014.05	道里区, 道外区, 南岗区, 香坊区
杭州	2014.03 - 2014.06	上城区, 下城区, 江干区, 拱墅区, 西湖区
克拉玛依	2014.03 - 2014.08	克拉玛依区, 白碱滩区, 独山子区
兰州	2013.12 - 2014.03	西固区, 安宁区, 城关区, 七里河区
洛阳	2013.12 - 2014.03	涧西区, 西工区, 老城区, 瀍河回族区
南昌	2013.11 - 2013.12	青山湖区, 东湖区, 西湖区, 青云谱区
青岛	2014.04 - 2014.07	黄岛区, 城阳区, 李沧区, 崂山区, 市北区, 市南区, 四方区
沈阳	2013.11 - 2014.03	和平区, 沈河区, 铁西区, 大东区, 皇姑区
深圳	2014.03 - 2014.04	罗湖区, 宝安区, 福田区, 盐田区, 南山区, 龙岗区
唐山	2013.12 - 2014.03	路南区, 路北区
天津	2013.12 - 2014.03	和平区, 河西区, 南开区, 河北区, 河东区, 红桥区, 塘沽区

*: 城区覆盖范围由各城市划定

附录三 2013 - 2014中国部分城市成人烟草调查, 参与调查14城市关于在公共场所禁烟的地方性法规

城市	法规名称	生效时间	法规性质
鞍山	鞍山市公共场所控制吸烟规定	2013.01.01	政府规章
北京	北京市控制吸烟条例	2015.06.01	地方性法规
长春	长春市防止烟草烟雾危害办法	2014.03.01	政府规章
哈尔滨	哈尔滨市防止二手烟草烟雾危害条例	2012.05.31	地方性法规
杭州	杭州市公共场所控制吸烟条例	2010.03.01	地方性法规
克拉玛依	克拉玛依市公共场所禁止规定	2013.03.01	政府规章
兰州	兰州市公共场所控制吸烟条例	2014.01.01	地方性法规
洛阳	-	-	-
南昌	-	-	-
青岛	青岛市控制吸烟条例	2013.09.01	地方性法规
沈阳	-	-	-
深圳	深圳经济特区控制吸烟条例	2014.03.01	地方性法规
唐山	唐山市防止二手烟草烟雾危害管理办法	2014.05.01	政府规章
天津	天津市控制吸烟条例	2012.05.31	地方性法规

-: 无市级控烟法规

城市	室内公共场所分类							
	工作场所	餐馆	酒吧/夜总会	政府大楼/ 办公室	医疗卫生机构	公共交通工具	中小学校*	大学
鞍山	禁止	禁止	禁止	禁止	禁止	禁止	禁止	禁止
北京	禁止	禁止	禁止	禁止	禁止	禁止	禁止	禁止
长春	禁止	禁止	禁止	禁止	禁止	禁止	禁止	禁止
哈尔滨	禁止	禁止	部分禁止	禁止	禁止	禁止	禁止	禁止
杭州	部分禁止	部分禁止	部分禁止	部分禁止	禁止	部分禁止	禁止	部分禁止
克拉玛依	禁止	禁止	禁止	禁止	禁止	禁止	禁止	禁止
兰州	禁止	部分禁止	部分禁止	禁止	禁止	禁止	禁止	禁止
洛阳	-	-	-	-	-	-	-	-
南昌	-	-	-	-	-	-	-	-
青岛	禁止	禁止	禁止	禁止	禁止	禁止	禁止	禁止
沈阳	-	-	-	-	-	-	-	-
深圳	禁止	禁止	部分禁止	禁止	禁止	禁止	禁止	禁止
唐山	禁止	禁止	禁止	禁止	禁止	禁止	禁止	禁止
天津	禁止	部分禁止	部分禁烟	禁止	禁止	禁止	禁止	禁止

-: 无市级控烟法规

*: 包括中专和职高

参考文献

- Canadian Cancer Society. Cigarette package health warnings: International status report, 4th edition, September 2014.
- Eriksen M, Mackay J, Ross H. The tobacco atlas. Fourth ed. Atlanta, GA: American Cancer Society; New York, NY: World Lung Foundation; 2012.
- Global Adult Tobacco Survey Collaborative Group. Global Adult Tobacco Survey (GATS): Sample design manual, Version 2.0. Atlanta, GA: Centers for Disease Control and Prevention; 2010.
- Global Adult Tobacco Survey Collaborative Group. Global Adult Tobacco Survey (GATS): Sample weights manual, Version 2.0. Atlanta, GA: Centers for Disease Control and Prevention, 2010.
- Global Adult Tobacco Survey Collaborative Group. Tobacco Questions for Surveys: A subset of key questions from the Global Adult Tobacco Survey (GATS), 2nd Edition. Atlanta, GA: Centers for Diseases Control and Prevention; 2011.
- Jha P, Peto R. Global effects of smoking, of quitting, and of taxing tobacco. *N Engl J Med*. 2014; 370 (1):60-68.
- Liu BQ, Peto R, Chen ZM. Emerging tobacco hazards in China: 1. Retrospective proportional mortality study of one million deaths. *BMJ*. 1998; 317(7170):1411-22.
- National Cancer Institute. The role of the media in promoting and reducing tobacco use. Tobacco Control Monograph No. 19. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute. NIH Pub. No. 07-6242, June 2008.
- Redmon P, Koplan J, Eriksen M, et al. The role of cities in reducing smoking in China. *Int J Environ Res. Public Health*. 2014; 11(10):10062-10075.
- Stead LF, Bergson G, Preciado N et al. Physician advice for smoking cessation. *Cochrane Database Syst Rev*. 2013 May 31;5:CD000165.
- U.S. Department of Health and Human Services. The health consequences of involuntary exposure to tobacco smoke: a report of the Surgeon General. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, Coordinating Center for Health Promotion, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health; 2006.
- U.S. Department of Health and Human Services. How tobacco smoke causes disease: The biology and behavioral basis for smoking-attributable disease: A report of the Surgeon General. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health; 2010.
- U.S. Department of Health and Human Services. Preventing tobacco use among youth and young adults: A report of the Surgeon General. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2012.
- U.S. Department of Health and Human Services. The health consequences of smoking—50 years of progress: A report of the Surgeon General. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health; 2014.
- World Conference of Tobacco or Health. Factsheet 2. Smoke-free Policies. 2015. Available from: [www.wctoh.org/ media/wctoh-2015-press-kit/document/FS2-Smokefree-Policies-2015.pdf](http://www.wctoh.org/media/wctoh-2015-press-kit/document/FS2-Smokefree-Policies-2015.pdf) (accessed March 25, 2015).
- World Health Organization. WHO Framework Convention on Tobacco Control. Geneva, Switzerland: World Health Organization; 2003, updated 2004, 2005.
- World Health Organization. WHO report on the global tobacco epidemic, 2013: Enforcing bans on tobacco advertising, promotion and sponsorship. Geneva, Switzerland: World Health Organization; 2013.
- World Health Organization. Raising tax on tobacco – What you need to know. May, 2014. Available from: http://apps.who.int/iris/bitstream/10665/112841/1/WHO_NMH_PND_14.2_eng.pdf?ua=1 (accessed April 14, 2015).
- World Health Organization. Electronic nicotine delivery systems. WHO, Sixth session of the Conference of the Parties to the WHO FCTC. July 2014. Available from: www.who.int/fctc/cop/sessions/COP6_report_FINAL_04122014.pdf?ua=1 (accessed February 10, 2015).
- Yang GH. Marketing ‘less harmful, low-tar’ cigarettes is a key strategy of the industry to counter tobacco control in China. *Tob Control*. 2014 Mar;23(2):167-72.
- 杨功焕, 胡鞍钢. 控烟与中国未来——中外专家中国烟草使用与烟草控制联合评估报告. 北京, 中国: 经济日报出版社; 2011.
- 杨功焕. 2010全球成人烟草调查中国国家报告. 北京, 中国: 三峡出版社; 2011.
- 中华人民共和国卫生部. 中国吸烟危害健康报告. 北京, 中国: 人民卫生出版社; 2012.

照片出处

第1页: dollarphotclub.com; 第5页: 北京市疾病预防控制中心; 第7页: reuters.com; 第8页: dollarphotclub.com; 第9页: iStockphoto.com; 第11页: dollarphotclub.com; 第13页: reuters.com; 第15页: reuters.com; 第17页: Lupei Du; 第19页: reuters.com; 第20页: 新探健康发展研究中心; 第21页: 中央电视台; 第23页: reuters.com; 第26页: Tobacco Pack Surveillance System; 第27页: reuters.com; 第28页: 北京市疾病预防控制中心; 第29页: reuters.com; 第30页: 中国疾控中心; 第31页: 克拉玛依市健康教育所。